

DRAGLINE CHAIN AND RIGGING PARTS

ID	QTY	DESCRIPTION	REF/OEM PART NO.	PART TYPE	WT	ALLOY
76061517	4	4 1/2" PEAR END LINK *XTEND*	760615	4 1/2" PEAR END *XTEN*	508	H79
76065216	4	4" PEAR END LINK	760652	4" PEAR END LINK	430	H55
76107516	1	4-1/2" STUD END LINK, 6" PIN	761075	4 1/2" STUD END LINK	450	H55
76116610	2	3 1/2" PEAR END LINK	761166	3 1/2" PEAR END LINK	169	H39
76181710	1	2-1/2" TRIPLE PITCH CHAIN LINK	3X212	2 1/2 IN DIA	135	H39
76224316	2	5" PEAR END LINK	762243	5" PEAR END LINK	875	H55
76237416	4	5" STUD END LINK WITH 7" BUSH	762374	5" STUD END LINK	549	H55
76306910	8	3" STUD END LINK-5" PIN	763069	3" STUD END LINK	172	H39
76330817	1	3-1/2" WELD-IN STANDARD REPAIR LINK, WITH *XTEND*	763308	3 1/2 REPAIR WELD-IN	156	H55
76238916	4	4" CHAIN LINK	762389	4 IN DIA	255	H55
76254716	2	5-1/2" WELD-IN STANDARD REPAIR LINK	762547	5 1/2 REPAIR WELD-IN	626	H55
76331117	2	5" WELD-IN STANDARD REPAIR LINK, WITH *XTEND*	763311	5" REPAIR WELD-IN	471	H55
76360516	2	4-1/2" PEAR REPAIR LINK, WELD IN	CE10562	4.25 REPAIR LINK PIN	410	H55
76413610	1	4-1/2" STUD END LINK, 6" PIN	764136	4 1/2" STUD END LINK	425	H39
76415115	4	2-1/2" PEAR END LINK *XTEND*	764151	2 1/2" PEAR END LINK	122	H39
76490816	1	4-1/2" STD REPAIR LINK ASSEMBLY, PIN TYPE W/ PINS	764908	4.25 REPAIR LINK PIN	736	H55
76859916	2	3" DOUBLE PITCH WELD REPAIR LINK FOR TWIST CHAIN	2X300WI	3" REPAIR WELD-IN	170	H55
76871316	4	3.50-4.00 CHAIN TRANSITION LINK - WELD-IN REPAIR LINK	768713 - TRANS-WI	WELD-IN TRANS LINK	225	H55
76876316	2	4.50" TWISTLINK REPAIR, DOUBLE-PITCH, WELD-IN	2X412WI	4 1/2 REPAIR WELD-IN	580	H55
76871516	4	4.50-5.00 CHAIN TRANSITION LINK, WELD-IN REPAIR LINK	768715 - TRANS-WI	WELD-IN TRANS LINK	425	H55
-	-	-	-	-	-	-
76517217	2	4" CHAIN, 29'-1" PITCH, WITH *XTEND*, 1 PEAR END LINK, 1 STUD END LINK / 6" PIN	400PS19XC	COLUMBIA STEEL	5630	H55
76532010	2	4" CHAIN-29'-7" LONG-(19+2)-PEAR END	400PP19C	COLUMBIA	5705	H39
76549610	1	3 1/2" CHAIN, 26'-10" PITCH, 2 PEAR END LINKS	312PP21A	COLUMBIA STEEL	3761	H39
76640215	2	4" CHAIN-26'-11" LONG-(17+2)-w/XTEND	400PP17XA	COLUMBIA	5195	H39
76640615	2	3" CHAIN, 28'-10" PITCH, WITH *XTEND*, NO END LINKS	30030X	COLUMBIA STEEL	3540	H39
76664010	2	3.5" CHAIN- 11'-11" LONG (8+2BUSHED FOR 4 1/4" PIN	312SS8H	COLUMBIA	1680	H39
76693810	2	3 1/2" CHAIN, 29'-9" PITCH, 1 STUD END LINK 6" PIN, 1 STUD END LINK 4.25" PIN	312SS23E	COLUMBIA STEEL	4404	H39
76754315	2	4" CHAIN-27'-3" LONG-w/XTEND	400SS18XY	COLUMBIA	5368	H39
-	-	-	-	-	-	-

76080416	1	SOCKET FOR 2 3/8" & 2 1/2" ROPE, FEMALE OPPOSITE PLANE, 4.25" PIN	760804A	2 3/8 ROPE SIZE	503	H55
76113116	1	SOCKET FOR 2.38" - 2.62" ROPE, FEMALE SAME PLANE, 4.50" PIN	761131	2 3/8 ROPE SIZE	402	H55
76354316	2	SOCKET FOR 2-7/8" TO 3-1/8" ROPE	CE96763	2 7/8"-3 1/8" ROPE SIZE	896	H55
76404216	1	DRAG DUMP SOCKET RH, FOR 3 1/8" TO 3 1/2" ROPE, SAME PLANE MALE, 6" PIN	764042	3 1/8 ROPE SIZE	1403	H55
76404316	1	DRAG DUMP SOCKET LH, FOR 3 1/8" TO 3 1/2" ROPE, SAME PLANE MALE, 6" PIN	764043	3 1/4 ROPE SIZE	1403	H55
76495116	1	DRAG DUMP SOCKET RH, FOR 3.00"-3.25" ROPE, SAME PLANE FEMALE, 6" PIN	764951RH	3 1/4 ROPE SIZE	1388	H55
76495216	1	DRAG DUMP SOCKET LH, FOR 3.00"-3.25" ROPE, SAME PLANE FEMALE, 6" PIN	764952LH	3 1/4 ROPE SIZE	1388	H55
76832416	4	SOCKET, FOR 2"- 2 1/2" WIRE ROPE, FEMALE OPPOSITE PLANE, 4.25" PIN	768324	2 ROPE SIZE	289	H55
76889716	2	ROPE SOCKET	CE29724A	2 1/4"-2 3/8" ROPE	310	H55
76975716	6	FERRULE SOCKET, FOR 3.13-3.25 ROPE, 5" PIN	769757	3 1/8 ROPE SIZE	703	H55
77888516	2	SOCKET FOR 4 3/8"-4 3/4" ROPE. NON BUSHED. 6" CORED HOLE.	778885	4 3/8"-4 3/4"	1946	H55
76137660	2	WEDGE FOR 2 3/8" ROPE, 18 DEGREE	761376	SOCKET WEDGE 2 3/8	141	G59
76140060	1	WEDGE FOR 3" ROPE, 18 DEGREE	512751K1	SOCKET WEDGE 3 ROPE	220	G59
76228960	6	WEDGE FOR 2 3/8" ROPE, 18 DEGREE	762289	SOCKET WEDGE 2 3/8	106	G59
76359560	1	WEDGE FOR 3 1/4" ROPE, 18 DEGREE	763595	SOCKET WEDGE 3 1/4	253	G59
76812160	2	WEDGE 4.38 - 4.50 ROPE, 18 DEGREE, WITH HAMMER DETENT	768121	SOCKET WEDGE 4 1/2	622	G59
76834360	4	WEDGE 4.00-4.38" ROPE, 18.5 DEGREE	768343	SOCKET WEDGE 4.0	580	G59
76897116	1	WEDGE 4.63-4.75" ROPE, 18 DEGREE	768971	SOCKET WEDGE 4 3/4	622	H55
76940416	1	WEDGE, 3.25" ROPE, 18 DEG, HRWRS, FOR HYDRAULIC ASSIST	769404	SOCKET WEDGE 3 1/4	417	H55
76075916	5	SWIVEL LINK, MALE -FEMALE, 4.75" PINS	446-C-248A	SWIVEL LINKS	259	H55
76138716	7	SWIVEL LINK / MALE-MALE / 3.50" PINS	603512K3	SWIVEL LINKS	105	H55
76238216	2	SWIVEL LINK, MALE -FEMALE, 6.00" PINS	762382	SWIVEL LINKS	951	H55
76362516	1	SWIVEL LINK, MALE -FEMALE, 6.00" PINS	763625	SWIVEL LINKS	657	H55
76372016	3	SWIVEL LINK, MALE -FEMALE, 6.00" PINS	CD12195-6B7 SPL	SWIVEL LINKS	783	H55
76462916	2	SWIVEL LINK- 4.25" PINS		SWIVEL LINKS	346	H55
76467616	2	SWIVEL LINK, MALE -FEMALE, 4.25" PINS	764676	SWIVEL LINKS	506	H55
76854416	1	SWIVEL LINK/5" & 4 1/4" PINS	768544	SWIVEL LINKS	506	H55
76854616	2	SWIVEL LINK/BUSHED FOR 4 1/4" PIN	768546	SWIVEL LINKS	331	H55
76897516	2	SWIVEL LINK / MALE-MALE / 6" & 7" PINS	768975	SWIVEL LINKS	658	H55
76929216	2	SWIVEL LINK / MALE-MALE / 5.00" PINS	769292	SWIVEL LINKS	387	H55

76970616	1	SWIVEL LINK-MALE-MALE- 5" PIN	769706	SWIVEL LINKS	511	H55
77871316	2	SWIVEL LINK-MALE-FEMALE-BUSHED FOR 5" & 6" PIN	778713	SWIVEL LINKS	619	H55
76004917	3	DRAG CLEVIS, 6" PIN DIA. *XTEND*, 8.75" FEMALE OPENING	760049	CLEVISES	147	H55
76075716	5	SHACKLE, 7" PIN DIA., 12" FEMALE OPENING	216-C-305	CLEVISES	923	H55
76084216	3	SHACKLE, 4 1/4" PIN DIA., 3.50" FEMALE OPENING	CD9807	CLEVISES	160	H55
76218916	4	DUMP BLOCK CLEVIS, 3" PIN DIA.	627066K1	CLEVISES	869	H55
76276917	1	DRAG CLEVIS, 9" PIN DIA. W/BUSHINGS *XTEND*, 11.50" FEMALE OPENING	762769	CLEVISES	1350	H55
76278610	1	SHACKLE, 3 1/2" PIN DIA., 4.50" FEMALE OPENING	605037K4-LOK	CLEVISES	119	H39
76035617	3	HITCH EXTENSION *XTEND*	PDE 46763#2	HITCH EXTENSION	1877	H55
76088117	2	CORNER WEAR SHOE-XTEND		CORNER WEAR SHOE	711	H55
76110710	1	DUMP BLOCK CONNECTING LINK, 2.75" PINS	619634-K-2	60-78 YARD BUCKET	122	H39
76119816	1	EQUALIZER BAR, 6" MIDDLE PIN, 5" OUTER PINS	761198	EQUALIZER	931	H55
76152060	2	BUSHING 5.125" ID X 5.985" OD X 6.00" LONG	526977K1SPL	BUSHING	15	G59
76167810	2	SWIVEL BALL	CB20810	SWIVEL BLL	39	H39
76229016	2	ANCHOR PLATE w/5" BUSHINGS	809156K/K1	BUCYRUS	673	H55
76364816	2	EQUALIZER SWIVEL LINK, TWISTED, FEMALE OPENING 8.75" & 6.38", 5" PINS	763648LH	MISC	735	H55
76463516	1	EQUALIZER BAR-TYPE II	763635	EQUALIZER	655	H55
76462016	2	TRUNNION LINK W/BUSHING, 8" TRUNNION PIN, 4.38" HOIST CHAIN PIN	764620	TRUNNION LINKS B.E.	685	H55
76467116	1	EQUALIZER LINK, FEMALE OPENINGS 9.63", OPP PLANE, 7" PINS,	764671	EQUALIZER	1562	H55
76491316	1	3 WAY HOIST CLEVIS WITH DUMP LUG, 7" PIN HOIST, 6" PIN CHAIN, 5" PIN DUMP	764913	HOIST CLEVIS	2473	H55
76840516	2	DRAG-DUMP, OPP PLANE, 4.25" DUMP LUG PIN, 5" & 6" DRAG LUG PINS	768405	DRAG LINK	635	H55
76869564	3	BUSHING 6.125" ID X 8.797OD X 5.50 LONG	768695	BUSHING	48	L98
76887716	2	48" DUMP BLOCK ASSY/OPP PL/4.25" PIN/13" GRIP/ARMOR BLOCK	768877	48" DUMP BLOCKS	4187	H55
76950212	1	VERTICAL HITCH PLATE, 6" PIN, SET W/BUSHINGS	PDE46562A	VERTICAL HITCH PLATE	1563	H48
77871616	1	EQUALIZER LINK- BUSHED FOR 8" & 7" PIN	778716	EQUALIZER	1755	H55
78223216	1	EQUALIZER BAR- BUSHED FOR 6" & 4.5" PIN	782232	EQUALIZER	707	H55
-	-	-	-	-	-	-
76062799	12	PIN, 2" DIA. X 19 1/2" LG, FABRICATED	760627	FASTENING HARDWARE	17	W01
76082663	2	PIN, 3 3/8" DIA. X 40 5/16" LG.	760826	ROUND PIN	100	L68
76134366	4	TRUNNION PIN	631884K1	BUCYRUS	299	R57

76140499	8	PIN, 3" DIA. X 10 1/8" LG, FABRICATED	761404	FASTENING HARDWARE	21	W03
76141299	28	PIN, 2.5" DIA. X 8 3/8" LONG-FABRICATED	761412	FASTENING HARDWARE	11	W01
76141499	2	PIN, 3.5" DIA. X 12 3/8" LONG-FABRICATED	761414	FASTENING HARDWARE	32	W01
76409416	8	PIN, 6" DIA. X 13 3/4" LONG, CAST, SPL SLOTTED	764094	OFFSET FLUSH NOHEAD	146	H55
76486910	14	PIN, 4.25 DIA X 12.00 LG	649236	SQ HD PIN FLSH OFFST	49	H39
76493910	4	5.00 DIA TRUNNION PIN	764939	TRUNNION PINS	108	H39
76831718	2	COLLAR PIN- 8.0" x 21.0" GRIP	768317	ROUND HD COLLAR PIN	376	H79
76853818	4	TRUNNION COLLAR PIN, 8.00" DIA X 14.75" GRIP	390214-KPR	TRUNNION PINS	344	H79
76871618	6	COLLAR PIN- 6.0" x 14.0" GRIP	768716	ROUND HD COLLAR PIN	147	H79
76913818	2	ROUND HD COLLAR PIN, 7.00 DIA X 15.75 GRIP	769138	ROUND HD COLLAR PIN	221	H79
76959018	6	ROUND HD COLLAR PIN, 6"DIA X 12.63" GRIP	769590	ROUND HD COLLAR PIN	136	H79
76959218	2	ROUND HD COLLAR PIN, 7"DIA X 19.50" GRIP	769592	ROUND HD COLLAR PIN	263	H79
56000499	22	PIN, 3.75" DIA. X 16.68" LG.	560004	2800	51	W03
56001916	71	SHOVEL PAD 72" W/O CLEATS - FOR MODEL 2800 - USES 3.750 DIA PIN	24J303M3SPL	P&H 2800	2015	H55
56002216	4	DRIVE SPROCKET FOR MODEL 2800	4J174M1SPL	P&H 2800	6218	H55
56003016	1	DRIVE SPROCKET 1/2" OVER-PITCH FOR P & H 2800 SHOVEL	4J174M1OS	P&H 2800	6719	H55
56003799	10	PIN, 5.000 DIA X 17.38 LG - 4340	560037	P&H 4100	98	W03
56006999	13	PIN, 4.50" DIA. X 16.68" LG	560069	ROUND PIN	76	W03
56009016	2	DRIVE TUMBLER-EX3500		HITACHI	4,400	H55
56158563	10	RACK-CENTER SECTION -2 REQD - FOR MODEL 181M	490C144BH	MARION MODEL 181 M	340	L68
56175063	16	RACK SECTION - 2 REQD - FOR MODEL 4161 / 151M	490-C-90H SPL	MARION MODEL 151 M	314	L68
56182199	10	PIN 2 DIA X 21 LONG	561821	FASTENING HARDWARE	19	W03
56199516	2	DRIVE SPROCKET 12 LUG FOR MODEL 5761 / 5670	566-C-73	MARION MODEL 5760	3795	H55
56197016	2	DRIVE SPROCKET-10 LUG FOR MODEL 5671 SUPER	566-C-80	MARION MODEL 5761 SUPER	3358	H55
57253402	160	KEEPER-WEDGE TYPE	D-3171	KEEPERS	4	C55
64101463	2	DRIVE SPROCKET FOR MODEL 191M, FITS DRIVE SHAFT 94F78	566C63H	MARION MODEL 191 M	3380	L68
64102216	2	DRIVE SPROCKET FOR MODEL 191M - SPLINE BORE 12.8 IN I.D.	566-C-88A	MARION MODEL 191 M	4740	H55